

GAS OUTLET BOX VALVE

SPECIFICATION

Quarter-Turn, Angle Gas Valves for:

- Appliances
- Appliance Connector Valves
- Hose End Valves
- Piping
- Aboveground Piping Systems
- For use with Natural, Manufactured, Mixed, Liquefied Petroleum, or Propane and LP Gas-Air Mixtures

GAS OUTLET BOX VALVES

- Quarter-turn, angle valves CSA listed to standards ANSI Z21.15/CSA 9.1 for 1/2 PSIG working pressure and to standard ASME B16.44 for above.

GAS VALVE FITTING ADAPTORS

- Gas valve fitting adaptors allow connection between the gas valve to gas outlet boxes. Note: P-06050 is required for attachment. ASTM B16 brass.

DESIGN FEATURES

- Heavy Duty brass construction ensures durability
- Compatible with Perfect Fit™ Plastic Gas

COMPLIANCES/LISTINGS

- ANSI Z21.15-2009/CSA 9.1-2009
- ANSI Z21.15a-2012/CSA 9.1a-2012
- ANSI Z21.15b-2013/CSA 9.1b-2013
- CGA Req. CR91-002-1995, ASME B16.44-2012
- CSA Class 3371 08, 3371 88, 3371 12, and 3371 92



P-06450



P-06451



P-06452

Part Number	Description
Gas Outlet Box Valves	
P-06450	1/2" M.I.P X 1/2" F.I.P
P-06451	3/4" M.I.P X 3/4" F.I.P
P-06452	1/2" F.I.P X 1/2" F.I.P
Gas Valve Fitting Adaptors	
P-06550	1/2" F.I.P X 1/2" M.I.P
P-06551	3/4" F.I.P X 3/4" M.I.P

OPERATING SPECIFICATIONS

- Working temperature: -40 to 194 F
- Rated for 1/2 psi and 5 psi

Product Submittal	
Job Name:	Date:
Part Number:	Quantity:
Architect:	
Contractor:	

Content matter is subject to change at any time. It is the user's responsibility to ensure the most updated revisions are obtained. 2/2021